

Eurex MMPM

XML File with Parameters for MMPM

Document ID XML Parameters.docx

Version 1.2

Date 27 March 2023

Abstract

This document describes the parameters and structure of the daily XML file
NNFILMMPARPUBLIYYYYMMDDXEUR.

Table of Contents

1	Introduction	4
2	XML Elements	6
2.1	mmprmPckgPrdParam	6
2.2	mmprmPckgPrdQIntv	8
2.3	mmprmSizeClass	9
2.4	mmprmSizeClassDt	9
2.5	mmprmSpreadClass	10
2.6	mmprmSpreadClassDt	11
2.7	mmprmPckgCalSprdMtrx	12
2.8	exSwMmProductScope	13
2.9	exSwMmStrtgParam	14
2.10	mmprmProductClass	15
2.11	mmprmRmmSpreadClass	15
2.12	mmprmPckgComp	17
1	Introduction	4
2	XML Elements	6
2.1	mmprmPckgPrdParam	6
2.2	mmprmPckgPrdQIntv	8
2.3	mmprmSizeClass	9
2.4	mmprmSizeClassDt	9
2.5	mmprmSpreadClass	10
2.6	mmprmSpreadClassDt	11
2.7	mmprmPckgCalSprdMtrx	12
2.8	exSwMmProductScope	13
2.9	exSwMmStrtgParam	14
2.10	mmprmProductClass	15
2.11	mmprmRmmSpreadClass	15
2.12	mmprmPckgComp	17

1 Introduction

The parameters XML file contains the parameters for MMPM, which are used to calculate the performance of market makers. The file contains the snapshot of parameters. That means this is a whole extract from the parameter set.

The name of the parameter file is standardized and has the form of a string with the following characters: **NNFILMMPARPUBLIYYYYMMDDXEUR.XML**, as an example for one given day: **90FILMMPARPUBLI20230402XEUR.XML**, where NN has value 90 for production environment. YYYYYMMDD is the business date of the extract and XEUR signifies it is the Eurex Exchange.

The content of XML has the following structure. XML file contains one root element: “mmpar”. Under root element there are 12 elements, which represent the tables for different parameter sets. They are displayed in table below.

Table 1: Sets of Parameters

Name	Description
exSwMmProductScope	The scope for strategies
exSwMmStrtgParam	The definition of strategies
mmprmPckgCalSprdMtrx	The definition of Matrix for Calendar Spreads
mmprmPckgPrdParam	The definition of packages.
mmprmPckgPrdQIntv	The description of quotation intervals for Program, Package, and Product
mmprmSizeClass	Size Class
mmprmSizeClassDt	Details for Size Class
mmprmSpreadClass	Spread Class
mmprmSpreadClassDt	Details for Spread Class
mmprmProductClass	Product Class
mmprmRmmSpreadClass	Spread Class for RMM
<u>mmprmPckgComp</u>	<u>Provides a link between Product ID, Package Name and Primary flag (that separates monthly and sub-monthly expirations)</u>

Figure 1: Sets of Parameters in XML file

Every element from Table 1 contains the records with the parameters. The name of records is the Name of Element + "Rec". Below we describe the parameters from different tables.

All elements in XML file contain common fields: businessValidFrom, and businessValidTo except element 'mmprmRmmSpreadClass'

```
<xsd:complexType name="mmparType">
  <xsd:sequence>
    <xsd:element name="exSwMmProductScope" type="exSwMmProductScopeType" />
    <xsd:element name="exSwMmStrtgParam" type="exSwMmStrtgParamType" />
    <xsd:element name="mmprmPckgCalSprdMtrx" type="mmprmPckgCalSprdMtrxType" />
    <xsd:element name="mmprmPckgPrdParam" type="mmprmPckgPrdParamType" />
    <xsd:element name="mmprmPckgPrdQIntv" type="mmprmPckgPrdQIntvType" />
    <xsd:element name="mmprmSizeClass" type="mmprmSizeClassType" />
    <xsd:element name="mmprmSizeClassDt" type="mmprmSizeClassDtType" />
    <xsd:element name="mmprmSpreadClass" type="mmprmSpreadClassType" />
    <xsd:element name="mmprmSpreadClassDt" type="mmprmSpreadClassDtType" />
    <xsd:element name="mmprmProductClass" type="mmprmProductClassType" />
    <xsd:element name="mmprmRmmSpreadClass" type="mmprmRmmSpreadClassType" />
    <xsd:element name="mmprmPckgComp" type="mmprmPckgCompType"/>
  </xsd:sequence>
</xsd:complexType>
```

Fields businessValidFrom and businessValidTo contain the validity of parameters. These two fields give the possibility to show parameters, which will be applied in the **near** future. For example, we would like to select a set of parameters, which are valid for 02.04.2023. We need to open last xml file and select all parameters, where businessValidFrom <= 02.04.2023 and 02.04.2023 <= businessValidTo, or in other words 02.04.2023 between businessValidFrom and businessValidTo. The businessValidTo field can contain the artificial date 31.12.9999. This date means that the parameter is valid and the to date is not defined yet.

```
<xsd:element name="businessValidFrom" type="businessValidFromType" minOccurs="0" maxOccurs="1" />
<xsd:element name="businessValidTo" type="businessValidToType" minOccurs="0" maxOccurs="1" />
```

2 XML Elements

2.1 mmprmPckgPrdParam

Name	Description
mmProgram	Market Maker program.
mmProgPackage	Market Maker package for MM program AMM. Not defined (NA) for PMM or RMM.
productBusinessId	Business product ID (e.g. OGBL = Opt. on Euro-Bund Futures, DB1 = Option on Deutsche Börse)
mmQuotType	Quotation type. Possible values are PQ for permanent quotation, QR for quotation on request
applyDaysToExpSpread	Apply day to spread
expSelectionRule	Expiration selection rule
scopeExpCycleNoFrom	Expiration cycle interval start number.
scopeExpCycleNoTo	Expiration cycle interval end number.
requiredCoverage	Required coverage of quote obligation (answers to quote requests or daily quotation time), e.g. 0.65 for 65%
toleratedViolationDays	Maximum number of tolerated days with violation per month, e.g. 4
requiredMthlyVolumne	Required minimum monthly volume under the members M-accounts.
timeValueFactor	Time value factor. Series in the strike price window which have settled with a time value (difference between settlement price and the intrinsic value) lower than TVF times the minimum tick size will not be used for the evaluation
aqNbrOfRelvAuct	Number of auction
aqRequiredAuctCoverage	Required auction coverage
requiredAvgSpread	Required average spread
settlementPriceFactor	Settlement price factor. Series which have settled with a settlement price lower than or equal to the minimum tick size times the settlement price factor will not be used for the quotation on request

	evaluation.
qrDailyCutLimit	Daily cut limit for quotation on request.
qrMonthlyFloorLimit	Monthly floor limit for quotation on request
qrMaxTransactTimeDiff	Maximum time difference between two valid quotes to be concatenated to one valid quote request response
qrCloseTimeDiff	Close time difference
maxUnlInsideMktSpread	Maximum inside market spread
minUnlInsideMktSize	Minimum inside market size
spreadUnit	Unit of the preceding spread field. Possible values: TICK = the spread is given as a multiple of the minimum tick size, PCT = the spread is given as a percentage of the midpoint.
quoteSizeQtyTrgtFct	Quote size quality target

Example:

```

<mmprmPckgPrdParamRec>
  <mmProgram>AMM</mmProgram>
  <mmProgPackage>EFIO</mmProgPackage>
  <productBusinessId>OGBM</productBusinessId>
  <mmQuotType>PQ</mmQuotType>
  <scopeExpCycleNoFrom>1</scopeExpCycleNoFrom>
  <scopeExpCycleNoTo>3</scopeExpCycleNoTo>
  <requiredCoverage>0.9</requiredCoverage>
  <toleratedViolationDays>50</toleratedViolationDays>
  <maxUnlInsideMktSpread>0.03</maxUnlInsideMktSpread>
  <minUnlInsideMktSize>50</minUnlInsideMktSize>
  <spreadUnit>TICK</spreadUnit>
  <businessValidFrom>27-12-2018</businessValidFrom>
  <businessValidTo>31-12-9999</businessValidTo>
</mmprmPckgPrdParamRec>

```

2.2 mmprmPckgPrdQIntv

Name	Description
mmProgram	Market Maker program.
mmProgPackage	Market Maker package for MM program AMM. Not defined (NA) for PMM or RMM.
productBusinessId	Business product ID
mmQuotType	Quotation type. Possible values are PQ for permanent quotation, QR for quotation on request
quotationIntvNo	Serial number of quotation interval.
spwCode	Reference to Strike Price Window
spreadClassCode	Reference to spread class
sizeClassCode	Reference to size class
productClassCode	Product Class Code
quotationStartTime	Quotation start time.
quotationEndTime	Quotation end time.

Example:

```
<mmprmPckgPrdQIntvRec>
  <mmProgram>AMM</mmProgram>
  <mmProgPackage>OSTK-DE</mmProgPackage>
  <productBusinessId>TKA</productBusinessId>
  <mmQuotType>PQ</mmQuotType>
  <quotationIntvNo>1</quotationIntvNo>
  <spwCode>DR #SZ:15 #RQ07</spwCode>
  <spreadClassCode>OSTK-2-8EXP</spreadClassCode>
  <sizeClassCode>STD_20</sizeClassCode>
  <productClassCode>EO-LC3</productClassCode>
  <quotationStartTime>09:00:00</quotationStartTime>
  <quotationEndTime>17:30:00</quotationEndTime>
  <businessValidFrom>02-07-2018</businessValidFrom>
  <businessValidTo>31-12-9999</businessValidTo>
```



```
</mmprmPckgPrdQIntvRec>
```

2.3 mmprmSizeClass

Name	Description
sizeClassCode	Size Class Code
sizeClassName	Name of size class
sizeClassDescr	Description of size class

Example:

```
<mmprmSizeClassRec>  
  <sizeClassCode>EFIO</sizeClassCode>  
  <sizeClassName>EFIO</sizeClassName>  
  <businessValidFrom>01-03-2019</businessValidFrom>  
  <businessValidTo>31-12-9999</businessValidTo>  
</mmprmSizeClassRec>
```

2.4 mmprmSizeClassDt

Name	Description
sizeClassCode	Size Class Code
daysToExpiration	Number of trading days until expiration. 0 – the parameter is not active.
expCycleNoFrom	Expiration cycle interval start number.
expCycleNoTo	Expiration cycle interval end number.
minQuoteSize	Minimum quote size to be compared with the order quantity of the respective quote leg.
minQuoteSizeTotal	Minimum quote size total
minQuoteSizeFast	Minimum quote size in case of fast markets to be

	compared with the order quantity of the respective quote leg.
minQuoteSizeTotalFast	Minimum quote size total in fast market.
redMinQuoteSize	See above, but reduced.
redMinQuoteSizeTotal	See above, but reduced.
redMinQuoteSizeFast	See above, but reduced.
redMinQuoteSizeTotalFast	See above, but reduced.
qrHoldTime	Hold/ dwell time for quotation on request.
qrResponseTime	Response time for quotation on request.
maxSpreadFastIncrement	Increment factor to increase all maximum spreads in case of fast markets (e.g. 1.1)

Example:

```

<mmpmSizeClassDtRec>
  <sizeClassCode>STD_3_QR</sizeClassCode>
  <daysToExpiration>0</daysToExpiration>
  <expCycleNoFrom>1</expCycleNoFrom>
  <expCycleNoTo>50</expCycleNoTo>
  <minQuoteSize>3</minQuoteSize>
  <minQuoteSizeFast>1</minQuoteSizeFast>
  <qrHoldTime>1000</qrHoldTime>
  <qrResponseTime>6000</qrResponseTime>
  <maxSpreadFastIncrement>2</maxSpreadFastIncrement>
  <businessValidFrom>10-12-2018</businessValidFrom>
  <businessValidTo>31-12-9999</businessValidTo>
</mmpmSizeClassDtRec>

```

2.5 mmpmSpreadClass

Name	Description
spreadClassCode	Spread class code

spreadClassName	Name of spread class
spreadClassDescr	Description of spread class

Example:

```
<mmprmSpreadClassRec>
  <spreadClassCode>OVS</spreadClassCode>
  <spreadClassName>OVS</spreadClassName>
  <businessValidFrom>01-01-2020</businessValidFrom>
  <businessValidTo>31-12-2020</businessValidTo>
</mmprmSpreadClassRec>
```

2.6 mmprmSpreadClassDt

Name	Description
spreadClassCode	Spread class code
daysToExpiration	Number of trading days until expiration.
expCycleNoFrom	Expiration cycle interval start number.
expCycleNoTo	Expiration cycle interval end number.
bidPriceIntervalNo	Serial number for bid price interval
bidPriceUpperBoundary	Upper bid price for this interval
maxSpread	Maximal spread of quotes with bid price in the range of minimum tick size and upper bid price for this interval.
maxSpreadRed	See above, but reduced
spreadUnit	Unit of the preceding spread field. Possible values: TICK = the spread is given as a multiple of the minimum tick size, PCT = the spread is given as a percentage of the midpoint.

Example:

```
<mmprmSpreadClassDtRec>
```

```

<spreadClassCode>FXFCM_8</spreadClassCode>
<daysToExpiration>0</daysToExpiration>
<expCycleNoFrom>0</expCycleNoFrom>
<expCycleNoTo>0</expCycleNoTo>
<bidPriceIntervalNo>1</bidPriceIntervalNo>
<maxSpread>0.00008</maxSpread>
<spreadUnit>TICK</spreadUnit>
<businessValidFrom>01-06-2018</businessValidFrom>
<businessValidTo>31-12-2027</businessValidTo>
</mmprmSpreadClassDtRec>

```

2.7 mmprmPckgCalSprdMtrx

Name	Description
mmProgram	Market Maker program.
mmProgPackage	Market Maker package for MM program AMM. Not defined (NA) for PMM or RMM.
productBusinessId	Business product ID
leg01Exp	First Expiry Leg
<u>leg01ExpPrimaryFlag</u>	<u>Primary Flag value for first leg (Y or N)</u>
leg02Exp	Second Expiry Leg
<u>leg02ExpPrimaryFlag</u>	<u>Primary Flag value for second leg (Y or N), a value of N here differentiates a basis spread from a calendar spread</u>

Example:

```

<mmprmPckgCalSprdMtrxRec>
  <mmProgram>AMM</mmProgram>
  <mmProgPackage>FXFCM-WD</mmProgPackage>
  <productBusinessId>FCUY</productBusinessId>
  <leg01Exp>1</leg01Exp>
  <leg01ExpPrimaryFlag>Y</leg01ExpPrimaryFlag>

```

```
<leg02Exp>3</leg02Exp>  
<leg02ExpPrimaryFlag>Y</leg02ExpPrimaryFlag>  
<businessValidFrom>01-10-2019</businessValidFrom>  
<businessValidTo>31-12-9999</businessValidTo>  
</mmpmPckgCalSprdMtrxRec>
```

2.8 exSwMmProductScope

Name	Description
productSetNo	Serial number of product set
productSetName	Name of product set
product	Business product ID
qrDailyCutLimit	Daily cut limit for quotation on request.
qrDailyFloorLimit	Daily floor limit for quotation on request.
quotationStartTime	Quotation start time.
quotationEndTime	Quotation end time.
requiredCoverage	Required Coverage
<u>primaryFlag</u>	<u>Primary Flag (Y or N)</u>

Example:

```
<exSwMmProductScopeRec>  
  <productSetNo>1</productSetNo>  
  <productSetName>Index Options</productSetName>  
  <product>ODAX</product>  
  <qrDailyCutLimit>200</qrDailyCutLimit>  
  <qrDailyFloorLimit>100</qrDailyFloorLimit>  
  <quotationStartTime>09:15:00</quotationStartTime>  
  <quotationEndTime>17:25:00</quotationEndTime>  
  <requiredCoverage>0.5</requiredCoverage>  
  <primaryFlag>Y</primaryFlag>  
  <businessValidFrom>01-01-2000</businessValidFrom>
```

```
<businessValidTo>31-12-9999</businessValidTo>  
</exSwMmProductScopeRec>
```

2.9 exSwMmStrtgParam

Name	Description
productSetNo	Serial number of product set
strategySymbol	Symbol for strategy
expCycleNFrom	Expiration cycle interval start number.
expCycleNTo	Expiration cycle interval end number.
strategyName	Strategy name
withUnderlyingInd	With or without underling indicator
outrightMaxSpreadMultpl	Outright maximum spread multiplier
outrightMinQSizeMultpl	Outright minimum quote size multiplier
daysToExpFadeOut	Days to expirations
qrMaxTransactTimeDiff	Maximum time difference between two valid quotes to be concatenated to one valid quote request response
qrHoldTime	Hold time for quotation on request
qrResponseTime	Response time for quotation on request

Example:

```
<exSwMmStrtgParamRec>  
  <productSetNo>1</productSetNo>  
  <strategySymbol>BUL</strategySymbol>  
  <expCycleNFrom>1</expCycleNFrom>  
  <expCycleNTo>5</expCycleNTo>  
  <strategyName>Call Spread</strategyName>  
  <withUnderlyingInd>N</withUnderlyingInd>  
  
  <outrightMaxSpreadMultpl>1</outrightMaxSpreadMultpl>
```

```
<outrightMinQSizeMultpl>3</outrightMinQSizeMultpl>  
<daysToExpFadeOut>5</daysToExpFadeOut>  
<qrMaxTransactTimeDiff>500</qrMaxTransactTimeDiff>  
<qrHoldTime>2000</qrHoldTime>  
<qrResponseTime>2000</qrResponseTime>  
<businessValidFrom>01-01-2000</businessValidFrom>  
<businessValidTo>31-12-9999</businessValidTo>  
</exSwMmStrtgParamRec>
```

2.10 mmprmProductClass

Name	Description
productClassCode	Product Class Code
factorBbSpread	Multiplicator for tighter spread
factorBbSize	Multiplicator for larger size

Example:

```
<mmprmProductClassRec>  
  <productClassCode>test</productClassCode>  
  <factorBbSpread>0.5</factorBbSpread>  
  <factorBbSize>2</factorBbSize>  
  <businessValidFrom>08-03-2019</businessValidFrom>  
  <businessValidTo>31-12-9999</businessValidTo>  
</mmprmProductClassRec>
```

2.11 mmprmRmmSpreadClass

Name	Description
productBusinessId	Business product ID
spreadClassCode	Spread class code indication
daysToExpiration	Number of trading days until expiration.

expCycleNoFrom	Expiration cycle interval start number.
expCycleNoTo	Expiration cycle interval end number.
bidPriceIntervalNo	Serial number for bid price interval
maxSpread	Maximal spread of quotes with bid price in the range of minimum tick size and upper bid price for this interval.
spreadUnit	Unit of the preceding spread field. Possible values: TICK = the spread is given as a multiple of the minimum tick size, PCT = the spread is given as a percentage of the midpoint.
quotationStartTime	Quotation start time.
quotationEndTime	Quotation end time.
tradingHours	Possible values: "Regular" for usual trading hours and "Extended" for extended trading hours.

Example:

```
<mmpmRmmSpreadClassRec>
  <productBusinessId>TAMU</productBusinessId>
  <spreadClassCode>based_on_SMC-SSF 3</spreadClassCode>
  <daysToExpiration>0</daysToExpiration>
  <expCycleNoFrom>1</expCycleNoFrom>
  <expCycleNoTo>99</expCycleNoTo>
  <bidPriceIntervalNo>2</bidPriceIntervalNo>
  <maxSpread>0.004</maxSpread>
  <spreadUnit>PCT</spreadUnit>
  <quotationStartTime>00:00:00</quotationStartTime>
  <quotationEndTime>23:59:59</quotationEndTime>
  <tradingHours>Regular</tradingHours>
</mmpmRmmSpreadClassRec>
```


2.12 mmpmPckgComp

<u>Name</u>	<u>Description</u>
<u>mmProgram</u>	<u>Market Maker Program</u>
<u>mmProgPackage</u>	<u>Market Maker package for MM program AMM. Not defined (NA) for PMM or RMM.</u>
<u>productBusinessId</u>	<u>Product ID</u>
<u>stdExpInclWeeklyQuoFrm</u>	<u>Is the standard expiration included in weekly requirement</u>
<u>alternMandatoryInd</u>	<u>Y/N Indicator for alternative mandatory product</u>
<u>weeklyQuoFrmSize</u>	<u>How many weeks need to be quoted</u>
<u>mandatoryFulfillInd</u>	<u>Is this product mandatory to fulfil for the package (i.e. OESX Primary Flag Y for AMM-ESX50)</u>
<u>weeklyOptionInd</u>	<u>Is this a weekly option (parameter redundant as of 01.04.2023 as primary flag is to be used)</u>
<u>primaryFlag</u>	<u>Primary Flag (Y or N)</u>
<u>quarterlyExpInd</u>	<u>As of 01.04.2023 this parameter is not in use</u>
<u>underlyingIsinOvr</u>	<u>If the underlying ISIN overridden from master data with another ISIN the overridden ISIN is provided in this field</u>

Example:

```

<mmpmPckgCompRec>
  <mmProgram>AMM</mmProgram>
  <mmProgPackage>ESX-WE</mmProgPackage>
  <productBusinessId>OESX</productBusinessId>
  <stdExpInclWeeklyQuoFrm>N</stdExpInclWeeklyQuoFrm>
  <alternMandatoryInd>N</alternMandatoryInd>
  <weeklyQuoFrmSize>4</weeklyQuoFrmSize>
  <mandatoryFulfillInd>N</mandatoryFulfillInd>
  <weeklyOptionInd>Y</weeklyOptionInd>
  <primaryFlag>N</primaryFlag>
  <businessValidFrom>01-04-2023</businessValidFrom>

```

<businessValidTo>31-12-2023</businessValidTo>

</mmprmPckgCompRec>